



First Name:		Last Name:			
Birthdate:	Age:	Weight:	Sex assigned at birth: ☐ Male ☐ Female		
Address:		City:	State: Zip:		
Phone:		Last 4 digits of Social Security Number:			
Primary Care Physician (PCP) First Name:		PCP Last Name:			
PCP Address:					
PCP Phone:		PCP Fax:			
Insurance:		Group:	ID #:		
Please check "yes" or "no" for each question			Yes	No	Notes
1a.	Have you previously received a dose of a measles, mumps, or rubella containing vaccine?				
1b.	If so, please indicate when you received it:				
2.	Have you had a seizure, a brain disorder, Guillain-Barré Syndrome (GBS), or other nervous system problem? Has a parent or sibling had a seizure?				
3.	In the past 6 months, have you taken medications that affect your immune system, such as prednisone, other steroids, or anticancer drugs; drugs for the treatment of rheumatoid arthritis, Crohn's disease, or psoriasis; or have you had radiation treatments?				
4.	Do you have cancer, leukemia, HIV/AIDS, or any other immune system problem?				
5.	Do you have a parent, brother, or sister with an immune system problem?				
6.	Have you had a stem cell transplant?				
7.	Do you have any of the following: a long-term health problem with heart, lung, kidney, liver, or metabolic disease (e.g., diabetes), asthma, a blood disorder, no spleen, a cochlear implant, or a spinal fluid leak? Are you on dialysis? Are you on long-term aspirin therapy?				
8.	In the past year, have you received immune (gamma) globulin, blood/blood products, or an antiviral drug?				
9.	Are you at risk for disease due to travel, your occupation, your activities, an outbreak, or contact with an infected person or animal?				
10.	Are you sick today?				
11.	Do you have allergies to medications (Ex: neomycin), food (Ex: eggs, bovine albumin, gelatin), a vaccine component, or latex?				
12.	Have you ever had a serious reaction after receiving a vaccine?				
13.	Have you received any vaccinations in the past 4 weeks?				
14.	Have you ever felt dizzy or faint before, during, or after a shot?				
15.	Are you anxious about getting a shot today?				
16.	Are you pregnant or nursing? What week of pregnancy are you? _____				

Consent for services, medical records, and HIPAA privacy information

Medicare/Medigap Policy Holders: I request and assign payment of authorized Medicare and/or Medigap benefits, as applicable, to be made on my behalf to Giant Eagle Pharmacy for any products or services furnished by them to me. I authorize the release of medical information about me to the Centers for Medicare and Medicaid Services, my Medigap insurer, and their agents as necessary to determine benefits payable for these or related services.

All Patients: I acknowledge receipt of Giant Eagle's Notice of Privacy Practices and authorize the release of immunization information to Federal and state authorities and to any covering health insurance provider(s). For the vaccine(s) indicated hereon, I acknowledge receipt of the relevant Vaccine Information Sheet (VIS) or EUA Fact Sheet. I affirm that I have had the opportunity to ask questions and that I voluntarily assume full responsibility for any reactions that may result. I request administration of the immunization(s) to me or to the patient identified hereon for whom I am the legal guardian. I, for myself, my wards, heirs, executors, personal representatives and assigns, hereby release Giant Eagle, Inc., the hosting facility and its managing and operating companies and owners, the event sponsors, and each entity's respective affiliates, subsidiaries, divisions, directors, contractors, agents and employees, from any and all claims arising out of, in connection with, or in any way related to, the receipt or administration of the immunization(s) indicated hereon. Further, I affirm that I request and access these services at my own risk and will not hold the aforementioned parties, to any extent whatsoever, liable, responsible, or in any way accountable for any loss, physical or personal injury, death, or damages suffered or sustained at any time in connection with or as a result of their offering of this vaccine program, the administration or receipt of the vaccines requested, or access to or use of the hosting facilities.

Signature (Patient or Parent/Legal Guardian): _____ **Date:** _____

Print Full Legal Name (Patient or Parent/Legal Guardian): _____

Healthcare Provider Only: By signing below, I agree that as the immunizing healthcare professional: I reviewed the patient's information and screening question responses. This vaccine is appropriate for this patient based on the responses to the screening questions and age guidelines according to ACIP recommendations, Giant Eagle's current vaccine protocols, and state regulations. Appropriate written education has been provided to the patient, including a Well Child Visit Reminder as applicable.

Signature (Immunizer): _____ **Date:** _____

Print Name (Immunizer): _____ **Title (Immunizer):** _____

If Pharmacy Intern or Technician, overseeing Pharmacist to sign and print name: _____

If using Immunization Protocol, Ordering Physician Name: _____

☒	Age (yrs)	Hepatitis Vaccine (Mfgr)	Dose	NDC
	3+	M-M-R-II (Merck)	0.5 mL	00006-4681-01
	3+	Priorix (GSK)	0.5 mL	58160-0824-15

Sig: Administer 1 shot ☐ IM ☐ SUBQ into the: ☐ Left Deltoid ☐ Right Deltoid

Additional
VIS Date: 1/31/25
Lot Number:
Expiration Date:
Clinic:
No Refills

MMR Vaccine (Measles, Mumps, and Rubella): *What You Need to Know*

Many vaccine information statements are available in Spanish and other languages. See www.immunize.org/vis

Hojas de información sobre vacunas están disponibles en español y en muchos otros idiomas. Visite www.immunize.org/vis

1. Why get vaccinated?

MMR vaccine can prevent **measles, mumps, and rubella**.

- **MEASLES (M)** causes fever, cough, runny nose, and red, watery eyes, commonly followed by a rash that covers the whole body. It can lead to seizures (often associated with fever), ear infections, diarrhea, and pneumonia. Rarely, measles can cause brain damage or death.
- **MUMPS (M)** causes fever, headache, muscle aches, tiredness, loss of appetite, and swollen and tender salivary glands under the ears. It can lead to deafness, swelling of the brain and/or spinal cord covering, painful swelling of the testicles or ovaries, and, very rarely, death.
- **RUBELLA (R)** causes fever, sore throat, rash, headache, and eye irritation. It can cause arthritis in up to half of teenage and adult women. If a woman gets rubella while she is pregnant, she could have a miscarriage or the baby could be born with serious birth defects.

Most people who are vaccinated with MMR will be protected for life. Vaccines and high rates of vaccination have made these diseases much less common in the United States.

2. MMR vaccine

Children need 2 doses of MMR vaccine, usually:

- First dose at age 12 through 15 months
- Second dose at age 4 through 6 years

Infants who will be traveling outside the United States when they are between 6 and 11 months of age should get a dose of MMR vaccine before travel. These children should still get 2 additional doses at the recommended ages for long-lasting protection.

Older children, adolescents, and adults also need 1 or 2 doses of MMR vaccine if they are not already

immune to measles, mumps, and rubella. Your health care provider can help you determine how many doses you need.

A third dose of MMR might be recommended for certain people in mumps outbreak situations.

MMR vaccine may be given at the same time as other vaccines. Children 12 months through 12 years of age might receive MMR vaccine together with varicella vaccine in a single shot, known as MMRV. Your health care provider can give you more information.

3. Talk with your health care provider

Tell your vaccination provider if the person getting the vaccine:

- Has had an **allergic reaction after a previous dose of MMR or MMRV vaccine**, or has any **severe, life-threatening allergies**
- Is **pregnant** or thinks she might be pregnant—pregnant women should not get MMR vaccine
- Has a **weakened immune system**, or has a **parent, brother, or sister with a history of hereditary or congenital immune system problems**
- Has ever had a **condition that makes him or her bruise or bleed easily**
- Has recently **had a blood transfusion or received other blood products**
- Has **tuberculosis**
- Has **gotten any other vaccines in the past 4 weeks**

In some cases, your health care provider may decide to postpone MMR vaccination until a future visit.



**U.S. CENTERS FOR DISEASE
CONTROL AND PREVENTION**

People with minor illnesses, such as a cold, may be vaccinated. People who are moderately or severely ill should usually wait until they recover before getting MMR vaccine.

Your health care provider can give you more information.

4. Risks of a vaccine reaction

- Sore arm from the injection or redness where the shot is given, fever, and a mild rash can happen after MMR vaccination.
- Swelling of the glands in the cheeks or neck or temporary pain and stiffness in the joints (mostly in teenage or adult women) sometimes occur after MMR vaccination.
- More serious reactions happen rarely. These can include seizures (often associated with fever) or temporary low platelet count that can cause unusual bleeding or bruising.
- In people with serious immune system problems, this vaccine may cause an infection that may be life-threatening. People with serious immune system problems should not get MMR vaccine.

People sometimes faint after medical procedures, including vaccination. Tell your provider if you feel dizzy or have vision changes or ringing in the ears.

As with any medicine, there is a very remote chance of a vaccine causing a severe allergic reaction, other serious injury, or death.

5. What if there is a serious problem?

An allergic reaction could occur after the vaccinated person leaves the clinic. If you see signs of a severe allergic reaction (hives, swelling of the face and throat, difficulty breathing, a fast heartbeat, dizziness, or weakness), call **9-1-1** and get the person to the nearest hospital.

For other signs that concern you, call your health care provider.

Adverse reactions should be reported to the Vaccine Adverse Event Reporting System (VAERS). Your health care provider will usually file this report, or you can do it yourself. Visit the VAERS website at www.vaers.hhs.gov or call **1-800-822-7967**. *VAERS is only for reporting reactions, and VAERS staff members do not give medical advice.*



6. The National Vaccine Injury Compensation Program

The National Vaccine Injury Compensation Program (VICP) is a federal program that was created to compensate people who may have been injured by certain vaccines. Claims regarding alleged injury or death due to vaccination have a time limit for filing, which may be as short as two years. Visit the VICP website at www.hrsa.gov/vaccinecompensation or call **1-800-338-2382** to learn about the program and about filing a claim.

7. How can I learn more?

- Ask your health care provider.
- Call your local or state health department.
- Visit the website of the Food and Drug Administration (FDA) for vaccine package inserts and additional information at www.fda.gov/vaccines-blood-biologics/vaccines.
- Contact the Centers for Disease Control and Prevention (CDC):
 - Call **1-800-232-4636** (**1-800-CDC-INFO**) or
 - Visit CDC's website at www.cdc.gov/vaccines.

