

First Name:		Last Name:			
Birthdate:	Age:	Weight:	Sex assigned at birth: ☐ Male ☐ Female		
Address:		City:	State: Zip:		
Phone:		Last 4 digits of Social Security Number:			
Primary Care Physician (PCP) First Name:		PCP Last Name:			
PCP Address:					
PCP Phone:		PCP Fax:			
Insurance:		Group:	ID #:		
Please check "yes" or "no" for each question			Yes	No	Notes
1a.	Have you previously received a dose of shingles vaccine?				
1b.	If so, please indicate when you received it:				
2.	Have you had a seizure, a brain disorder, Guillain-Barré Syndrome (GBS), or other nervous system problem? Has a parent or sibling had a seizure?				
3.	Have you had an organ transplant?				
4.	In the past 6 months, have you taken medications that affect your immune system, such as prednisone, other steroids, or anticancer drugs; drugs for the treatment of rheumatoid arthritis, Crohn's disease, or psoriasis; or have you had an organ transplant or radiation treatments?				
5.	Do you have cancer, leukemia, HIV/AIDS, or any other immune system problem?				
6.	Have you had a stem cell transplant?				
7.	Are you sick today?				
8.	Do you have allergies to medications, food, a vaccine component (Ex: polysorbate), or latex?				
9.	Have you ever had a serious reaction after receiving a vaccine?				
10.	Have you received any vaccinations in the past 4 weeks?				
11.	Have you ever felt dizzy or faint before, during, or after a shot?				
12.	Are you anxious about getting a shot today?				
13.	Are you pregnant or nursing?				

Consent for services, medical records, and HIPAA privacy information

Medicare/Medigap Policy Holders: I request and assign payment of authorized Medicare and/or Medigap benefits, as applicable, to be made on my behalf to Giant Eagle Pharmacy for any products or services furnished by them to me. I authorize the release of medical information about me to the Centers for Medicare and Medicaid Services, my Medigap insurer, and their agents as necessary to determine benefits payable for these or related services.

All Patients: I acknowledge receipt of Giant Eagle's Notice of Privacy Practices and authorize the release of immunization information to Federal and state authorities and to any covering health insurance provider(s). For the vaccine(s) indicated hereon, I acknowledge receipt of the relevant Vaccine Information Sheet (VIS) or EUA Fact Sheet. I affirm that I have had the opportunity to ask questions and that I voluntarily assume full responsibility for any reactions that may result. I request administration of the immunization(s) to me or to the patient identified hereon for whom I am the legal guardian. I, for myself, my wards, heirs, executors, personal representatives and assigns, hereby release Giant Eagle, Inc., the hosting facility and its managing and operating companies and owners, the event sponsors, and each entity's respective affiliates, subsidiaries, divisions, directors, contractors, agents and employees, from any and all claims arising out of, in connection with, or in any way related to, the receipt or administration of the immunization(s) indicated hereon. Further, I affirm that I request and access these services at my own risk and will not hold the aforementioned parties, to any extent whatsoever, liable, responsible, or in any way accountable for any loss, physical or personal injury, death, or damages suffered or sustained at any time in connection with or as a result of their offering of this vaccine program, the administration or receipt of the vaccines requested, or access to or use of the hosting facilities.

Signature (Patient or Parent/Legal Guardian): _____ **Date:** _____

Print Full Legal Name (Patient or Parent/Legal Guardian): _____

Healthcare Provider Only: By signing below, I agree that as the immunizing healthcare professional: I reviewed the patient's information and screening question responses. This vaccine is appropriate for this patient based on the responses to the screening questions and age guidelines according to ACIP recommendations, Giant Eagle's current vaccine protocols, and state regulations. Appropriate written education has been provided to the patient, including a Well Child Visit Reminder as applicable.

Signature (Immunizer): _____ **Date:** _____

Print Name (Immunizer): _____ **Title (Immunizer):** _____

If Pharmacy Intern or Technician, overseeing Pharmacist to sign and print name: _____

If using Immunization Protocol, Ordering Physician Name: _____

☒	Age (yrs)	Zoster Vaccine (Mfgr)	Dose	NDC	Additional
	19+	Shingrix (GSK)	0.5 mL	58160-0823-11	VIS Date: 2/4/22
			(Bill as 1)		Lot Number:
					Expiration Date:
					Clinic:
					No Refills

Sig: Administer 1 shot intramuscularly into the: ☐ Left Deltoid ☐ Right Deltoid

Recombinant Zoster (Shingles) Vaccine: *What You Need to Know*


Many vaccine information statements are available in Spanish and other languages. See www.immunize.org/vis

Hojas de información sobre vacunas están disponibles en español y en muchos otros idiomas. Visite www.immunize.org/vis

1. Why get vaccinated?

Recombinant zoster (shingles) vaccine can prevent **shingles**.

Shingles (also called herpes zoster, or just zoster) is a painful skin rash, usually with blisters. In addition to the rash, shingles can cause fever, headache, chills, or upset stomach. Rarely, shingles can lead to complications such as pneumonia, hearing problems, blindness, brain inflammation (encephalitis), or death.



The risk of shingles increases with age. The most common complication of shingles is long-term nerve pain called postherpetic neuralgia (PHN). PHN occurs in the areas where the shingles rash was and can last for months or years after the rash goes away. The pain from PHN can be severe and debilitating.

The risk of PHN increases with age. An older adult with shingles is more likely to develop PHN and have longer lasting and more severe pain than a younger person.

People with weakened immune systems also have a higher risk of getting shingles and complications from the disease.

Shingles is caused by varicella-zoster virus, the same virus that causes chickenpox. After you have chickenpox, the virus stays in your body and can cause shingles later in life. Shingles cannot be passed from one person to another, but the virus that causes shingles can spread and cause chickenpox in someone who has never had chickenpox or has never received chickenpox vaccine.

2. Recombinant shingles vaccine

Recombinant shingles vaccine provides strong protection against shingles. By preventing shingles, recombinant shingles vaccine also protects against PHN and other complications.

Recombinant shingles vaccine is recommended for:

- **Adults 50 years and older**
- **Adults 19 years and older who have a weakened immune system** because of disease or treatments

Shingles vaccine is given as a two-dose series. For most people, the second dose should be given 2 to 6 months after the first dose. Some people who have or will have a weakened immune system can get the second dose 1 to 2 months after the first dose. Ask your health care provider for guidance.

People who have had shingles in the past and people who have received varicella (chickenpox) vaccine are recommended to get recombinant shingles vaccine. The vaccine is also recommended for people who have already gotten another type of shingles vaccine, the live shingles vaccine. There is no live virus in recombinant shingles vaccine.

Shingles vaccine may be given at the same time as other vaccines.



**U.S. Department of
Health and Human Services**
Centers for Disease
Control and Prevention

3. Talk with your health care provider

Tell your vaccination provider if the person getting the vaccine:

- Has had an **allergic reaction after a previous dose of recombinant shingles vaccine**, or has any **severe, life-threatening allergies**
- Is **currently experiencing an episode of shingles**
- Is **pregnant**

In some cases, your health care provider may decide to postpone shingles vaccination until a future visit.

People with minor illnesses, such as a cold, may be vaccinated. People who are moderately or severely ill should usually wait until they recover before getting recombinant shingles vaccine.

Your health care provider can give you more information.

4. Risks of a vaccine reaction

- A sore arm with mild or moderate pain is very common after recombinant shingles vaccine. Redness and swelling can also happen at the site of the injection.
- Tiredness, muscle pain, headache, shivering, fever, stomach pain, and nausea are common after recombinant shingles vaccine.

These side effects may temporarily prevent a vaccinated person from doing regular activities. Symptoms usually go away on their own in 2 to 3 days. You should still get the second dose of recombinant shingles vaccine even if you had one of these reactions after the first dose.

Guillain-Barré syndrome (GBS), a serious nervous system disorder, has been reported very rarely after recombinant zoster vaccine.

People sometimes faint after medical procedures, including vaccination. Tell your provider if you feel dizzy or have vision changes or ringing in the ears.

As with any medicine, there is a very remote chance of a vaccine causing a severe allergic reaction, other serious injury, or death.

5. What if there is a serious problem?

An allergic reaction could occur after the vaccinated person leaves the clinic. If you see signs of a severe allergic reaction (hives, swelling of the face and throat, difficulty breathing, a fast heartbeat, dizziness, or weakness), call **9-1-1** and get the person to the nearest hospital.

For other signs that concern you, call your health care provider.

Adverse reactions should be reported to the Vaccine Adverse Event Reporting System (VAERS). Your health care provider will usually file this report, or you can do it yourself. Visit the VAERS website at www.vaers.hhs.gov or call **1-800-822-7967**. *VAERS is only for reporting reactions, and VAERS staff members do not give medical advice.*

6. How can I learn more?

- Ask your health care provider.
- Call your local or state health department.
- Visit the website of the Food and Drug Administration (FDA) for vaccine package inserts and additional information at www.fda.gov/vaccines-blood-biologics/vaccines.
- Contact the Centers for Disease Control and Prevention (CDC):
 - Call **1-800-232-4636 (1-800-CDC-INFO)** or
 - Visit CDC's website at www.cdc.gov/vaccines.

